



1/45

FIG. 1




2/45

FIG.2A




3/45

FIG.2B




4/45

FIG.3



5/45

FIG.4



6/45






FIG.6

7/45




8/45





9/45

FIG.8



10/45

FIG.9






FIG.10




11/45

FIG. 11




12/45

FIG.12A



13/45

FIG.12B



14/45






FIG.14

15/45




16/45






17/45

FIG.16




18/45




19/45

FIG.18



20/45

FIG.19



21/45

FIG.20








FIG.22

23/45




24/45






25/45

FIG.24



26/44



27/45








FIG.28

29/45




30/45

FIG.29




31/45

FIG.30



32/45

FIG.31





33/45

FIG.32




FIG.33

TABLE 1

	TRANSMISSION WEIGHT INF.	COMMUNICATION CHANNEL INF.	RECEPTION WEIGHT INF.
14TH EMBODIMENT	$\widetilde{W}_T$	A	$W_R$
15TH EMBODIMENT	$\widetilde{W}_T$	A	$\widetilde{W}_R$


$\widetilde{W}$  : GENERATED BY THE PROCESSED FEEDBACK INF.

W : GENERATED BY THE FEEDBACK INF.




36/45

FIG.35




37/45

FIG.36




38/45

FIG.37




39/45

FIG.38



40/45


FIG.39






41/45

FIG.40



42/45

FIG.41




43/45

## FIG.42

TABLE 2

ANGULAR WIDTH	TX : $5^{\circ}$ , RX : $35^{\circ}$ (EACH LAPLACE DISTRIBUTION)
ANTENNA PITCH	TX ANTENNA : $10 \lambda$ RX ANTENNA : $0.5 \lambda$
DIRECTIVITY	NON-DIRECTIVE

FIG.43



45/45

FIG.44

